A4 black and white multifunction printer

IM 370 IM 370F IM 460F





Your print infrastructure – the gateway to your digital workspace

Digitalisation and evolving workstyles require organisations to embrace new technology in order to remain competitive. RICOH's Managed Print & Automation Services unlock the value of your traditional print infrastructure with tailored, managed solutions that empower your people, improve efficiency, reduce costs, enhance security and drive sustainability. Ricoh's latest generation of compact mono A4 multifunction devices are designed to create a seamless user experience for the workplace of today. This includes:

- Customisation options to match your workflow needs with RICOH Smart Integration
- Reliability and security upholding the latest security standards with automatic updates using RICOH Always Current Technology
- Workspace optimisation with a compact, multi-function device featuring A4 and A3 capabilities plus faster print and scan speeds
- Contribution to sustainability with low Typical Energy Consumption values (TEC) and usage of recycled plastics in the device mainframe
- For more information about RICOH's Managed Print & Automation Services visit https://www.ricoh-europe.com/ digital-gateway





About Ricoh – a value-added workspace integrator

We take a holistic approach to delivering end-toend workspace solutions for business transformation across the globe. Our marketleading print devices remain central to our unique digital services portfolio. We also offer a range of solutions in areas from networking and security to datacentre, deployment, business process management and cloud.

A reliable partner to support your digitalisation

We're dedicated to integrating technology that builds on our heritage of print innovation with services and solutions that drive growth and deliver a best-in-class employee experience. Unlock the value of your print infrastructure and futureproof your organisation with tailored managed services from our expert engineers, consultants and developers.

Innovative technology that evolves with your organisation

Faster print and scan

Experience the benefits of fast black-and-white print and colour scan speeds with our compact multi-function device. Enjoy the added convenience of A3 capabilities, allowing a flexible move from A4 to A3 for easy print, copy and scan.



Improved usability

User friendly and accessible, our mono Multi-Function Printers (MFPs) come with an improved 7" tiltable Smart Operation Panel with capacitive touch for optimal access to the device's many functions. This includes Bluetooth 5.2 for a stable connection and 6GB RAM for better workflow performance.



Integrated software solutions

Create seamless workflows with customised scanning, automation and cloud solutions integrated within our MFPs – explore RICOH Streamline NX, RICOH Print Management Cloud and Kofax Printix software.



Robust security

RICOH's Always Current Technology provides security upgrades and automatically downloads updates. The latest security standard – Trusted Platform Module 2.0 PM – improves encryption strength and protects important data. This next generation of mono devices includes improved admin management control.



Flexible and sustainable for doing business responsibly

Enhanced sustainability

Going green is easy with our mono MFPs. Low TEC values, energy consumption reduced by 45% when in sleep and 17% of the plastics used within the device mainframe are from recycled materials.



Intelligent business data

Ricoh's @Remote technology turns data into detailed and intelligent device knowledge.

Whatever the size is of your organisation, you can manage your devices in the most cost-effective and automated way.



Carbon Balanced Service

A simple add on to the device(s), you can offset the lifetime carbon impacts of your print infrastructure through our Carbon Balanced Service – helping achieve your sustainability goals.



Flexible financing

Manage and spread your software and hardware costs with Ricoh Capital.

Predictable monthly or quarterly invoices make budgeting, reporting and auditing simple and efficient.



Ricoh's flagship black and white A4 intelligent device



- 1 SPDF with Paper Guide Tray Type M54
- 2 Mainframe, includes 500 sheet paper tray
- 3 Paper Feed Unit PB1200, 500 sheet
- 4 Caster Table 79
- 5 Low Cabinet 80 / High Cabinet 81

IM 370/IM 370F/IM 460F

method.

Wiley Dire File		IM 370	IM 370F	IM 460F	
Warring from Warr		IM 370	IM 370F	IM 460F	
File Cody (asked EW)	GENERAL				
Coltanuous option algered Stronger, standard	Warm-up time		31 seconds		
Memory standard G GB	First copy speed: B/W	4.7 seconds	4.7 seconds	4.1 seconds	
Storage Stor	Continuous output speed	37 ppm		46 ppm	
SSP, ostorion	Memory: standard				
### ### ### ### ### ### ### ### ### ##	Storage: standard		64 GB		
SPEF rappools So sharets Workship 1 kg 1	SSD: optional		256 GB		
Weight 1	HDD: optional		320 GB		
Tomanican 1374 1433 1440 Tom Power source 220 - 240 V, 50 - 60 Hz	SPDF capacity		50 sheets		
COPPIER	Weight		41 kg		
Multible copying Personation	Dimensions: W x D x H		374 x 493 x 640 mm		
Multiple copyring 10 to 900 copies 10 to 500 dots	Power source	220 - 240 V, 50 - 60 Hz	220 - 240 V, 50 - 60 Hz	220 - 240 V, 50 - 60 Hz	
PRINCE PRINCE	COPIER				
PRINTER PRIN	Multiple copying		Up to 999 copies		
### PRINTER First print speed: BW 3.8 seconds 3.3 sec	Resolution	600 dpi			
First print speed: BW 3.8 seconds 3.3 seconds 3.3 seconds 3.3 seconds 3.3 seconds 3.3 seconds 3.3 seconds 4.2 PCL5e, PCL5	Zoom		From 25% to 400% in 1% steps		
First print speed; BW 3.8 seconds 3.3 seco	DDINTED				
Marvel B8PAGZPO 1.2GHz		0.0	0.0	0.0	
Pitter language: standard PCJ.Se, PCJS, PosSSorp13 (semulation), PDF direct (emulation), MediaPinit (TIFF) Pitter language: option Pinit resolution: maintum Hebroit interface: standard Hebroit inter		3.8 seconds		3.3 seconds	
Printer languager, option					
Pietr teachior. maximum Network interfaces caption Network interfaces caption Network interfaces coption Network interfaces coption Network interfaces coption Network protects					
Network interfaces: standard Write-less LAN (IEEE 802 11 abs/gn), USB bevice IF Type B, Bluetooth Network interface: option Mobile printing capability Network protocod Windows® 8.1, Windows® 11, Windows® 11, Windows® Server 2018, Windows					
Network interface: option Mobile printing capability All All (All printing		Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host I/F Type A, USB Device I/F Type B, Bluetooth Wireless LAN (IEEE 802.11a/b/g/n), USB Device Server Option			
Mobile printing agaphility Network probaced Windows9 environments Windows9 8.1, Windows9 11, Windows9 11, Windows9 Server 2012, Windows9 Server 2012, Windows9 Server 2013, Windows9 Server 2013, Windows9 Server 2013, Windows9 Server 2013, Windows9 Server 2012, Windows9 Server 2012, Windows9 Server 2013, Windows9 Server 2012, Windows9 Server 2012, Windows9 Server 2013, Windows9 Server 2012, Windows9 Server 2013, Windows9 Server 2013, Windows9 Server 2012, Windows9 Server 2015, Windows9 Server 2015, Windows9 Server 2015, Windows9 Server 2015, Windows9 Server 2012, Windows9 Server 2015, Windows9 Server 2012, Windows9 Server 2012, Wind					
Neworks protocol Windows® 8.1, Windows® 10, Windows® 11, Windows® Server 2012, Windows® Server 2012, Windows® Server 2016, Windows® Server 2015 Windows® 8.1, Windows® 11, Windows® Server 2012 Macridon OS x v10, 15 or later UNIX sun® Solaris, HPUX, SCO OpenServer, RedHat® Linux, IBM® AIX SAP® environments UNIX sun® Solaris, HPUX, SCO OpenServer, RedHat® Linux, IBM® AIX SAP® RAS, SAP® ISA, SAP®	·				
Windows® 8.1, Windows® 10, Windows® 11, Windows® Server 2012, Windows® Server 2012, Windows® Server 2012, Windows® Server 2015, Windows® Server 2015 Mac OS environments UNIX environments UNIX Sun® Solaris, HP-LIX, SCO OpenServer, Recil-tate Linux, IBM® AIX SAP® environments Other supported environments SCANNER Scanning speed: SPDF (A4 LEF, 2004), BW Mild colour) Resolution: maximum File formats Scan modes Scan mo					
Mac OS environments UNIX sun/8 Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX SAP® environments UNIX sun/8 Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX SAP® environments UNIX sun/8 Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX SAP® environments UNIX sun/8 Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX SAP® environments UNIX sun/8 Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX SAP® environments UNIX sun/8 Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX SAP® environments IBM ISeries SCANNER Scanning speed. SPDF (AL LEF, 246 jpm (simplexy92 jpm (duplex)) Single Page TIFF, Single page UPEG, Single page PDF, Single page High compression PDF, Single page PDF, Multi page Encryption PDF, Single page PDF, Multi page PDF, Multi page Encryption PDF, Single page PDF, Multi page Encryption PDF, Single page PDF, Multi page Encryption PDF, Multi page E	•		• • •		
UNIX sum® Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX SAP® en/romments Conversion of the supported environments Conversion of the supported en	Windows® environments				
SAP® environments Cher supported environments SCANNER SCANNER SCANNER SCANNER SCANNER SCANNER SCANNIER SCANNIER SCANNER SCANNIER SCANNIER SCANNIER SCANNIER SCANNIER SCANNIER SCANNIER SCANNIER Single Page TIFF, Single page JPEG, Single page PDF, Single page PDF, Multi page TIFF, Multi page PDF, Multi page Encryption PDF, Single-multi OCR (optional) Examination of the Multipage Encryption PDF, Multipage Encryption PDF, Multipage PDF, Multipage PDF, Multipage PDF, Multipage Encryption PDF, Multipage PDF, Multipage PDF, Multipage PDF, Multipage Encryption PDF, Multipage Encryption PDF, Multipage PDF, Multipage PDF, Multipage Encryption PDF, Multipage PDF, Multipage Encryption PDF, Multipage PDF, Multipage PDF, Multipage Encryption PDF, Multipage Encryption PDF, Multipage PDF, Multipage PDF, Multipage PDF, Multipage Encryption PDF, Multipage PDF, Multipa	Mac OS environments	Macintosh OS X v10.15 or later			
Scanning speed: SPDF (A4 LEF, 2000pl, BW full colour) Resolution: maximum File formats Scan modes FAX (IM 370F, IM 460F) Circuit Faramission speed FAX (IM 370F, IM 460F) FAX (IM 470F, IM 460F) A 18 (320 pages) FAX (IM 470F, IM 460F) A 18 (320 pages) A 18 (320 pages) FAX (IM 370F, IM 460F) A 18 (320 pages) A 18 (320 pages) FAX (IM 370F, IM 460F) A 18 (320 pages) FAX (IM 370F, IM 460F) A 18 (320 pages) A 18 (320 pages) A 18 (320 pages) FAX (IM 370F, IM 460F) A 18 (320 pages) A 18 (320 pages) A 18 (320 pages) FAX (IM 370F, IM 460F) A 18 (320 pages) FAX (IM 370F, IM 460F) A 18 (320 pages) A 18 (320 pages) A 18 (320 pages) FAX (IM 370F, IM 460F) A 18 (320 pages) A 18 (320 pages) FAX (IM 370F, IM 460F) A 18 (320 p	UNIX environments	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX			
Scanning speed: SPDF (A4 LEF, 200dpt, BW full colour) Resolution: maximum File formats Scann modes Scan modes	SAP® environments	SAP® R/3®, SAP® S/4®			
Scanning speed: SPDF (A4 LEF, 200dp), BW full colour) Resolution: maximum File formats Single Page TIFF, Single page JPEG, Single page PDF, Single page Fligh compression PDF, Single page PDF/A, Multi page FIFF, Multi page PDF, Multi page FIFF, Multi page PDF, Multi page FIFF, Multi page PDF, Single page Encryption PDF, Multi page Encryption PDF, Singlemulti OCR (optional) Scan modes FAX (M 370F, IM 460F) Circuit - PSTN_PBX PSTN_PBX PSTN_PBX Transmission speed - 3 seconds 3 seconds 3 seconds Modem speed: maximum - 33.6 Kbps 33	Other supported environments		IBM iSeries		
1,200 dpi	SCANNER				
Resolution: maximum 1,200 dpi File formats Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF, Multi page PDF, Single multi OCR (optional) E-mail, Folder, USB, URL, FTP, SMB FAX (IM 370F, IM 460F) Circuit - PSTN,PBX Transmission speed - Seconds - Seco	Scanning speed: SPDF (A4 LEF,		46 ipm (simplex)/92 ipm (duplex)		
Single Page TIFF, Single page PDEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page PDF, Multi page PDF, Multi page PDF, Multi page Encryption PDF, Single/multi OCR (optional) Scan modes E-mail, Folder, USB, URL, FTP, SMB FAX (IM 370F, IM 460F) Circuit - PSTN,PBX Transmission speed - 3 seconds 4 spm 4 sp			1 200 dni		
Multi page High compression PDF, Multi page Encryption PDF, Multi page Encryption PDF, Single/multi OCR (optional) Scan modes E-mail, Folder, USB, URL, FTP, SMB FAX (M 370F, IM 460F) Circuit - PSTN,PBX PSTN,PBX Transmission speed - 3 seconds 3 seconds Modern speed: maximum - 33.6 Kbps 33.6 Kbps Scanning speed - 46 spm 46 spm 46 spm Memory: standard - 4 MB (320 pages) 4 MB (320 pages) PAPER HANDLING Recommended paper size Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A3, A4, A5, A6, B5, B6, B6, B6 Bypass tray: A3, A4, A5, A6, B5, B6, B6 Bypass tray: A3, A4, A5, A6, B5, B6 Supper input: standard Paper input: standard 100 sheets Paper output: standard Paper weight Trays (60 - 162 gm²), Bypass (52 - 216 gm²), Duplex (52 - 162 gm²) Paper types Power consumption: max. Power consumption: paper line ECOLOGY It is a reference value based on		Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF			
FAX (IM 370F, IM 460F) Circuit - PSTN,PBX PSTN,PBX Transmission speed - 3 seconds 3 seconds Modern speed: maximum - 33.6 ktps 33.6 ktps Compression method - 33.6 ktps 33.6 ktps Compression method - MH,MR,MMR MH,MR,MMR Scanning speed - 46 spm 46 spm Memory: standard - 4 MB (320 pages) 4 MB (320 pages) PAPER HANDLING Recommended paper size Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom Size paper Paper input: standard Paper input: bypass (standard) Paper input: bypass (standard) Paper input: maximum Paper output: standard Paper output: standard Paper evelight Trays (60 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - 162 g/m²) Paper types ECOLOGY Power consumption: max. Less than 1,780 W Power consumption: paperation S28.8 W S28.8 W G22.5 W Power consumption: ready Power consumption: ready Power consumption: sleep TEC* 0.38 kWh/week 0.49 kWh/week					
Circuit	Scan modes				
Circuit	FAX (IM 370F IM 460F)				
Transmission speed - 3 seconds 3 seconds Modern speed: maximum - 33.6 Kbps 33.6 Kbps Compression method - MH,MR,MMR MH,MMR,MMR Scanning speed - 46 spm 46 spm Memory: standard - 4 MB (320 pages) 4 MB (320 pages) PAPER HANDLING Recommended paper size Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 Sypass tray: A3, A4, A5, A6, B5, B6, B6 Sypass tray: A3, A4, A5, A6, B5, B6, B6 Paper input: bypass (standard) Paper input: bypass (standard) Paper input: maximum Paper unput: standard Paper weight Trays (60 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - 162 g/m²) Paper types Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Power consumption: geration Power consumption: sleep TEC* 0.38 kWh/week 0.38 kWh/week 0.49 kWh/week			DSTNI DRY	DSTN DRY	
Modem speed: maximum Compression method -		- -			
Compression method Scanning speed	•	-			
Facanning speed Memory: standard - 46 spm 46 spm 46 spm Ad MB (320 pages) PAPER HANDLING Recommended paper size Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A3, A4, A5, A6, B5, B6, B6, B6, B6, B6, B6, B6, B6, B6, B6		-	•	•	
Recommended paper size Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A3, A4, A5, A6, B5, B6 Bypass tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom Size paper Paper input: standard Paper input: bypass (standard) Paper input: maximum 2,100 sheets Paper output: standard Paper output: standard Paper output: standard Paper weight Paper weight Paper weight Paper weight Paper ypes Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Less than 1,780 W Power consumption: operation Power consumption: coperation Power consumption: ready Power consumption: sleep 0.38 kWb/week 0.38 kWb/week 0.49 kWb/week		-	•	•	
Recommended paper size Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A3, A4, A5, A6, B5, B6 Envelopes, Custom Size paper Paper input: standard Paper input: bypass (standard) Paper input: maximum Paper output: standard Paper output: standard Paper weight Paper weight Paper ypes Paper ypes Paper ypes Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper COLOGY Power consumption: max. Power consumption: peration Power consumption: ready Power consumption: sleep	Memory: standard	-	4 MB (320 pages)	4 MB (320 pages)	
Optional paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom Size paper Paper input: standard 500 sheets Paper input: bypass (standard) 100 sheets Paper input: maximum 2,100 sheets Paper output: standard 250 sheets Paper output: standard 250 sheets Paper weight Trays (60 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - 162 g/m²) Paper types Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Less than 1,780 W Power consumption: operation Power consumption: ready 26.4 W Power consumption: sleep 0.45 W TEC* 0.38 kWh/week 0.49 kWh/week *It is a reference value based on	PAPER HANDLING				
Optional paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom Size paper Paper input: standard 500 sheets Paper input: bypass (standard) 100 sheets Paper input: maximum 2,100 sheets Paper output: standard 250 sheets Paper output: standard 250 sheets Paper weight Trays (60 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - 162 g/m²) Paper types Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Less than 1,780 W Power consumption: operation Power consumption: ready 26.4 W Power consumption: sleep 0.45 W TEC* 0.38 kWh/week 0.49 kWh/week *It is a reference value based on	Recommended paper size		Standard paper trav(s); A4, A5, A6, B5, B6		
Bypass tray: A3, A4, A5, A6, B5, B6, Envelopes, Custom Size paper Paper input: standard 500 sheets Paper input: bypass (standard) Paper input: maximum 2,100 sheets Paper output: standard 250 sheets Paper weight Trays (60 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - 162 g/m²) Paper types Paper types Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Less than 1,780 W Power consumption: peration Power consumption: ready Power consumption: ready Power consumption: sleep 0.45 W TEC* 0.38 kWh/week 0.49 kWh/week * It is a reference value based on					
Paper input: standard 500 sheets Paper input: bypass (standard) 100 sheets Paper input: maximum 2,100 sheets Paper output: standard 250 sheets Paper output: standard 250 sheets Paper weight Trays (60 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - 162 g/m²) Paper types Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Less than 1,780 W Power consumption: operation 528.8 W 622.5 W Power consumption: ready 26.4 W Power consumption: sleep 0.38 kWh/week 0.38 kWh/week 0.49 kWh/week *It is a reference value based on					
Paper input: bypass (standard) Paper input: maximum 2,100 sheets Paper output: standard Paper output: standard Paper output: standard Paper weight Paper weight Paper weight Paper kecycle paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Less than 1,780 W Power consumption: operation Power consumption: ready Power consumption: sleep O.38 kWh/week 1 tis a reference value based on	Paper input: standard		• • • • • • • • •		
Paper input: maximum 2,100 sheets Paper output: standard Paper output: standard Paper weight Paper weight Paper bypes Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Power consumption: operation Power consumption: ready Power consumption: ready Power consumption: sleep Power co					
Paper output: standard Paper weight Paper weight Paper keysels Paper types Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Power consumption: operation Power consumption: ready Power consumption: ready Power consumption: sleep P					
Paper weight Trays (60 - 162 g/m²), Bypass (52 - 216 g/m²), Duplex (52 - 162 g/m²) Paper types Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper COLOGY Cover consumption: max. Cover consumption: operation Cover consumption: ready Cover consumption: ready Cover consumption: sleep Cove					
Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Preprinted paper, Envelope, Label paper ECOLOGY Power consumption: max. Less than 1,780 W Power consumption: operation Power consumption: ready Power consumption: ready Power consumption: sleep Outer consumption: sleep					
Power consumption: max. Power consumption: operation 528.8 W 528.8 W 622.5 W Power consumption: ready 26.4 W Power consumption: sleep 0.45 W TEC* 0.38 kWh/week 0.48 kWh/week 1 tis a reference value based on					
Power consumption: max.	ECOLOGY				
Power consumption: operation 528.8 W 528.8 W 622.5 W Power consumption: ready 26.4 W Power consumption: sleep 0.45 W TEC* 0.38 kWh/week 0.38 kWh/week It is a reference value based on 0.49 kWh/week			Less than 1,780 W		
Power consumption: ready 26.4 W Power consumption: sleep 0.45 W TEC* 0.38 kWh/week 0.38 kWh/week 0.49 kWh/week * It is a reference value based on * I	·	528.8 W		622.5 W	
Power consumption: sleep 0.45 W TEC* 0.38 kWh/week 0.38 kWh/week 0.49 kWh/week It is a reference value based on					
TEC* 0.38 kWh/week 0.38 kWh/week 0.49 kWh/week * It is a reference value based on					
	·	0.38 kWh/week		0.49 kWh/week	
	* It is a reference value based on the ENERGY STAR Ver.3.2 test				

IM 370/IM 370F/IM 460F

IM 370 IM 370F IM 460F

INPUT/OUTPUT TRAYS AND FINISHER OPTIONS

3x 500-sheet paper tray

OTHER OPTIONS

High cabinet, Low cabinet, Caster table, IPDS unit, PostScript 3, XPS direct print, IEEE 802.11 a/b/g/n, Device server unit, OCR unit, Page keeper, Counter I/F unit, NFC card reader, Paperlock, Card reader cover, HDD Option, SSD 256GB option, Document Feeder Paper Guide Tray

CONSUMABLES

Toner (regular yield) 13,500 prints

Toner (high yield) Consumable yield measuring method ISO/IEC 19752

For availability of models, options and software, please consult your local supplier.







22,000 prints









Ricoh International B.V.

Prof. W.H. Keesomlaan 1 1183 DJ Amstelveen The Netherlands



+31 (0)20 5474111



